СОДЕРЖАНИЕ

Том 47, номер 2, 2007

Новый вид паркетниковых *Muraenolepis pacifica* sp. nova (Muraenolepididae) с хребта Геракл (Южно-Тихоокеанское поднятие)

В. П. Природина, А. В. Балушкин 133

Новый вид хариуса *Thymallus tugarinae* sp. nova (Thymallidae) из бассейна Амура

И. Б. Книжин, А. Л. Антонов, С. Н. Сафронов, С. Дж. Вайс 139

Разнообразие строения чешуи боковой линии камбалообразных рыб (Pleuronectiformes)

Е. П. Воронина 157

Строение сейсмосенсорной системы *Psettodes erumei* (Psettodidae, Pleuronectiformes)

Е. П. Воронина 168

Ихтиофауна прибрежных вод юго-западного Крыма в 2003–2004 гг.

Л. П. Салехова, А. Д. Гордина, Т. Н. Климова 173

Многолетняя динамика видового состава и обилия камбал в водах Приморья (Японское море)

Д. В. Антоненко 188

Сибирский осётр *Acipenser baerii* в реке Печора

А. Б. Захаров, М. Д. Туманов, С. Н. Шалаев 196

Изменчивость каменной широколобки *Paracottus knerii* (Cottidae, Scorpaeniformes) Байкала и водоемов Байкальского региона

Б. Э. Богданов 202

Динамика стада горбуши *Oncorhynchus gorbuscha* (Salmonidae) юго-восточного побережья острова Сахалин

А. М. Каев, В. А. Руднев 215

Возраст и рост нитчатого шлемоносца *Gymnocanthus pistilliger* (Cottidae) в водах южного Приморья (Японское море)

В. А. Шелехов, В. В. Панченко 228

Характеристика черноморской кумжи *Salmo trutta labrax*, выращенной в заводских условиях

В. Я. Никандров, Н. И. Шиндавина 238

Липидный статус и характер питания молоди лососевых (Salmonidae) в год, предшествующий миграции в море, как факторы, определяющие их будущую смолтификацию

Д. С. Павлов, Н. Н. Немова, П. И. Кириллов, Е. А. Кириллова, З. А. Нефедова, О. Б. Васильева 247

Влияние условий среды разной обогащенности в раннем онтогенезе на пищевое и оборонительное поведение молоди леща *Abramis brama* (Cyprinidae)

Ю. В. Герасимов, И. А. Столбунов 253

КРАТКИЕ СООБЩЕНИЯ

Бурый морской петушок *Alectrias alectrolophus* (Stichaeidae) – новый представитель холодолюбивой ихтиофауны в водах северного Приморья

Е. В. Колпаков, В. В. Мирошник 262

О находке редкого вида смоляных удильщиков *Linophryne indica* (Linophrynidae) вблизи границ Российской экономической зоны

В. Е. Харин 266

Влияние закисления воды на оогенез горбуши *Oncorhynchus gorbuscha*

О. В. Зеленников, Е. В. Сабанова, О. В. Мищенко 269

Сдано в набор 13.12.2006 г. Подписано к печати 05.02.2007 г. Формат бумаги $60 \times 88^1/_8$
Цифровая печать Усл. печ. л. 16.0 Усл. кр.отт. 4.2 тыс. Уч.изд. л. 18.6 Бум. л. 8.0
Тираж 254 экз. Зак. 33

Учредитель: Российская академия наук

Издатель: Академиздатцентр “Наука”, 117997, Москва, Профсоюзная ул., 90

Оригинал-макет подготовлен МАИК “Наука/Интерпериодика”

Отпечатано в ППП “Типография “Наука”, 121099, Москва, Шубинский пер., 6

Contents

Vol. 47, No. 2, 2007

Simultaneous English language translation of the journal is available from Pleiades Publishing, Ltd.
Distributed worldwide by Springer. *Journal of Ichthyology* ISSN-0032-9452.

A New Moray Cod Species *Muraenolepis pacifica* sp. nova (Muraenolepididae) from the Heracles Ridge (Southern Pacific Rise)

V. P. Prirodina and A. V. Balushkin 133

New Species of Grayling *Thymallus tugarinae* sp. nova (Thymallidae) from the Amur River Basin

I. B. Knizhin, A. L. Antonov, S. N. Safronov, and S. J. Weiss 139

Diversity of Lateral Line Scale Morphology in Pleuronectiform Fishes (Pleuronectiformes)

E. P. Voronina 157

Morphology of the Seismosensory System of *Psettodes erumei* (Psettodidae, Pleuronectiformes)

E. P. Voronina 168

Ichthyofauna of Nearshore Waters of Southwestern Crimea in 2003–2004

L. P. Salekhova, A. D. Gordina, and T. N. Klimova 173

Yearly Dynamics of Species Composition and Abundance of Flatfishes in Waters of Primorye (The Sea of Japan)

D. V. Antonenko 188

Siberian Sturgeon *Acipenser baerii* in the River Pechora

A. B. Zakharov, M. D. Tumanov, and S. N. Shalaev 196

Variability of the Stone Sculpin *Paracottus knerii* (Cottidae, Scorpaeniformes) of Baikal and Water Bodies of Baikal Region

B. E. Bogdanov 202

Stok Dynamics of the Pink Salmon *Oncorhynchus gorbuscha* (Salmonidae) in the Southeastern Coast of Sakhalin Island

A. M. Kaev and V. A. Rudnev 215

The Age and Growth of the Threaded Sculpin *Gymnocanthus pistilliger* (Cottidae) in Waters of Southern Primorye (The Sea of Japan)

V. A. Shelekhov and V. V. Panchenko 228

Characteristics of the Black Trout *Salmo trutta labrax* Raised in Artifical Conditions

V. Ya. Nikandrov and N. I. Shindavina 238

Lipid Status and Feeding Characteristics of Juvenile Salmonids During the Year Previous to the Sea Migration as Factors Determining Future Smoltification

D. S. Pavlov, N. N. Nemova, P. I. Kirillov, E. A. Kirillova, Z. A. Nefedova, and O. B. Vasilyeva 247

Effects of Early Environmental Enrichment on the Feeding and Defensive Behavior of Juvenile Bream *Abramis brama* (Cyprinidae)

Yu. V. Gerasimov and I. A. Stolbunov 253

SHORT COMMUNICATIONS

Alectrias alectrolophus (Stichaeidae), A New Representative of Cold Ichthyofauna in Waters of Northern Primorye

E. V. Kolpakov and V. V. Miroshnik 262

Finding a Rare Species of Leftvent Seadevils *Linophryne indica* (Linophrynidae) Near the Russian Economic Zone

V. E. Kharin 266

Effect of Water Acidification on the Oogeny of the Pink Salmon *Oncorhynchus gorbuscha*

O. V. Zelennikov, E. V. Sabanova, and O. V. Mishchenko 269